

An Intelligent Mental Health Tracker Based on Social Media Activity

Thaniska E.¹, Mrs. Vanitha K.²


¹ Undergraduate Student, ² Assistant Professor, Department of Computer Technology, Dr. N.G.P. Arts and Science College, Coimbatore, Tamil Nadu, India

Email Id -thaniskaeswaramoorthy05@gmail.com, vanitha.k@drngpasc.ac.in



<https://doi.org/10.55041/ijstmt.v2i3.211>

Cite this Article: E, T. (2026). An Intelligent Mental Health Tracker Based on Social Media Activity. International Journal of Science, Strategic Management and Technology, 02(03). <https://doi.org/10.55041/ijstmt.v2i3.211>

License:  This article is published under the Creative Commons Attribution 4.0 International License (CC BY 4.0), permitting use, distribution, and reproduction in any medium, provided the original author(s) and source are properly credited.

Abstract

The widespread use of social media has reshaped how individuals interact, share information, and construct their identities. Alongside these opportunities, concerns about its impact on mental health have grown significantly. This study explores the relationship between social media activity and psychological well-being, while proposing the development of an intelligent mental health tracking system. The suggested framework, called the Social Media Integrated Mental Health Tracker (SMIMHT), combines artificial intelligence, ecological momentary assessment (EMA), and wearable technologies to monitor, predict, and improve mental health outcomes.

Introduction

Platforms such as Facebook, Instagram, TikTok, and X have become central to social interaction worldwide, with billions of users engaging daily. While these platforms foster connection and self-expression, research increasingly highlights their potential negative effects, including heightened anxiety, depression[1], sleep disturbances, and reduced self-esteem. At the same time, digital health technologies are advancing, offering real-time monitoring of psychological states. Integrating behavioral analytics from social media with mental health tracking tools presents both opportunities and ethical challenges. This paper aims to examine the influence of social media on mental health, review current tracking technologies, propose a framework for integration, and address ethical considerations.

Literature Review

Studies reveal a complex relationship between social media use and mental health. For instance, Twenge and colleagues have linked excessive screen time with higher rates of depression[1] among adolescents. Conversely, experimental work by Melissa G. Hunt suggests that reducing social media use can lower feelings of loneliness and depression[1].

The mechanisms through which social media influences mental health are multifaceted. Social comparison often leads to diminished self-esteem, while cyberbullying contributes to psychological distress. Fear of Missing Out (FoMO) can heighten anxiety, and disrupted sleep patterns are common among heavy users. Additionally, the reward circuitry of the brain is activated by likes and comments, reinforcing addictive behaviors.

Digital mental health tracking technologies have emerged to address these challenges. Mobile applications, wearable devices, ecological momentary assessments, and machine learning models are increasingly used to monitor psychological states. Research demonstrates that analyzing social media posts can predict depressive episodes weeks before clinical diagnosis, highlighting the potential of computational approaches in early detection.

Proposed Framework: Social Media–Integrated Mental Health Tracker (SMIMHT)

The SMIMHT framework is designed with four interconnected layers. The **data collection layer** gathers information on social media usage patterns, linguistic sentiment, interaction behaviors, wearable physiological signals, and self-reported moods. The **processing and analytics layer** applies natural language processing, emotion detection, behavioral anomaly identification, and risk stratification. The **feedback and intervention layer** delivers personalized alerts, recommendations for healthier social media use, cognitive behavioral therapy modules, and referrals to professionals when necessary. Finally, the **privacy and security layer** ensures end-to-end encryption, differential privacy, and compliance with international data protection standards.

Methodology

To evaluate the effectiveness of SMIMHT, a mixed-method study is proposed involving 500 participants over six months. Data sources will include app usage logs, EMA surveys, and wearable device outputs. Standardized tools such as the PHQ-9 for depression[1], GAD-7 for anxiety, and sleep quality indices will be employed. Analytical methods will combine multilevel modeling with supervised machine learning classification. Ethical approval will be sought from an Institutional Review Board to safeguard participant rights and privacy.

Ethical and Privacy Considerations

Mental health data is highly sensitive, requiring strict safeguards. Participants must provide informed consent, with clear explanations of what data is collected, how it is processed, and who can access the insights. Algorithmic bias is a concern, as machine learning models may inadvertently favor or disadvantage certain demographic groups. Compliance with regulations such as the GDPR in Europe and HIPAA in the United States is essential to ensure responsible data handling.

Potential Applications

The SMIMHT framework offers several practical applications. It can enable early detection of depression[1] and anxiety, provide personalized behavioral nudges, support clinical decision-making, and enhance mental health programs in universities and workplaces. By integrating social media analytics with digital health tools, organizations can proactively monitor and improve well-being.

Discussion

The integration of social media analytics with mental health tracking holds immense promise for proactive care. However, it also raises concerns about surveillance, misuse, and the risk of pathologizing

References

normal behavior. Striking a balance between innovation and privacy is crucial. Importantly, digital tools should complement, not replace, human-centered care. Future research must explore longitudinal causal relationships, cultural variations, and the development of robust ethical frameworks for deployment.

Conclusion

Social media has reshaped the psychological landscape globally. When combined with advanced digital tracking systems, it offers a powerful avenue for early mental health intervention. The proposed SMIMHT framework demonstrates how technology can be harnessed responsibly to improve well-being, provided it is implemented with caution, ethical rigor, and scientific integrity.

- [1] M. De Choudhury, M. Gamon, S. Counts, and E. Horvitz, “Predicting Depression via Social Media,” *Proceedings of the International AAAI Conference on Web and Social Media (ICWSM)*, 2013.
- [2] M. De Choudhury, S. Counts, and E. Horvitz, “Social Media as a Measurement Tool of Depression in Populations,” *Proceedings of the 5th ACM International Conference on Web Search and Data Mining (WSDM)*, 2013.
- [3] E. Reece and C. M. Danforth, “Instagram photos reveal predictive markers of depression,” *EPJ Data Science*, vol. 6, no. 1, 2017.
- [4] A. Guntuku, S. Yaden, M. Kern, L. Ungar, and J. Eichstaedt, “Detecting Depression and Mental Illness on Social Media: An Integrative Review,” *Current Opinion in Behavioral Sciences*, vol. 18, pp. 43–49, 2017.
- [5] J. Coppersmith, M. Dredze, and C. Harman, “Quantifying Mental Health Signals in Twitter,” *Proceedings of the ACL Workshop on Computational Linguistics and Clinical Psychology*, 2014.
- [6] M. De Choudhury et al., “Discovering Shifts to Suicidal Ideation from Mental Health Content in Social Media,” *Proceedings of CHI Conference on Human Factors in Computing Systems*, 2016.
- [7] S. Chancellor and M. De Choudhury, “Methods in Predictive Techniques for Mental Health Status on Social Media: A Critical Review,” *npj Digital Medicine*, vol. 3, 2020.
- [8] A. S. K. Ong et al., “Machine Learning for Mental Health in Social Media: Bibliometric and Systematic Review,” *IEEE Access*, vol. 9, pp. 18382–18405, 2021.
- [9] S. D’Alfonso, “AI in Mental Health,” *IEEE Intelligent Systems*, vol. 35, no. 1, pp. 82–85, 2020.
- [10] M. Tadesse, H. Lin, B. Xu, and L. Yang, “Detection of Depression-Related Posts in Reddit Social Media Forum,” *IEEE Access*, vol. 7, pp. 44883–44893, 2019.
- [11] A. Orabi, P. Buddhitha, M. Orabi, and D. Inkpen, “Deep Learning for Depression Detection of Twitter Users,” *Proceedings of the Fifth Workshop on Computational Linguistics and Clinical Psychology*, 2018.
- [12] J. Birnbaum et al., “Using Digital Media to Identify Signs of Schizophrenia and Predict Relapse,” *npj Schizophrenia*, vol. 3, 2017.
- [13] M. Tsugawa, S. Kikuchi, F. Kishino, K. Nakajima, Y. Itoh, and H. Ohsaki, “Recognizing Depression from Twitter Activity,” *Proceedings of CHI*, 2015.
- [14] K. Harrigian, C. Aguirre, and M. Dredze, “On the State of Social Media Data for Mental Health Research,” *Proceedings of the ACL Workshop on Computational Linguistics and Clinical Psychology*, 2020.
- [15] J. Eichstaedt et al., “Facebook Language Predicts Depression in Medical Records,” *Proceedings of the National Academy of Sciences (PNAS)*, vol. 115, no. 44, pp. 11203–11208, 2018.
- [16] L. Chancellor, Z. Lin, E. Goodman, S. Zerwas, and M. De Choudhury, “Quantifying and Predicting Mental Illness Severity in Online Pro-Eating Disorder Communities,” *Proceedings of CSCW*, 2016.
- [17] World Health Organization, *World Mental Health Report: Transforming Mental Health for All*, 2022.
- [18] American Psychiatric Association, *Diagnostic and Statistical Manual of Mental Disorders (DSM-5-TR)*, 2022.